

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	H 100x50x5/7	2900.1	1
SS400	H 100x50x5/7	2500.1	1
SS400	H 150x75x5/7	1310.1	1
SS400	H 200x100x5.5/8	1400.1	1
SS400	H 298x149x5.5/8	5310.1	1
SS400	H 300x150x6.5/9	4200.1	1
SS400	H 300x150x6.5/9	2811.1	1
SS400	H 350x175x7/11	2000	1
SS400	H 194x150x6/9	8900.1	1
SS400	H 194x150x6/9	1910.1	1
SS400	H 294x200x8/12	4400.1	2
SS400	H 294x200x8/12	4110.1	1
SS400	H 100x100x6/8	5200.1	1
SS400	H 100x100x6/8	4310.1	1
SS400	H 100x100x6/8	800.1	1
SS400	H 125x125x6.5/9	2610.1	1
SS400	H 125x125x6.5/9	1700.1	1
SS400	H 125x125x6.5/9	1100.1	1
SS400	H 125x125x6.5/9	900.1	1
SS400	H 125x125x6.5/9	800.1	1
SS400	H 150x150x7/10	10101.1	1
SS400	H 150x150x7/10	2100.1	1
SS400	H 150x150x7/10	1500.1	1
SS400	H 150x150x7/10	1111.1	1
SS400	H 150x150x7/10	900.1	3
SS400	H 150x150x7/10	700.1	1
SS400	H 175x175x7.5/11	3700.1	1
SS400	H 175x175x7.5/11	1900.1	1
SS400	H 200x200x8/12	4000	1
SS400	H 250x250x9/14	4500.1	1
SS400	カラー L 3x40	3010.1	1
SS400	L 3x25	1400.1	8
SS400	L 5x30	1200.1	2
SS400	L 5x40	3100.1	1
SS400	L 5x40	2900.1	1
SS400	L 5x40	1600.1	1
SS400	L 5x40	1300.1	1
SS400	カラー L 4x50	1910.1	1
SS400	L 4x50	9510.1	2
SS400	L 4x50	2210.1	1

# 切断端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	L 4x50	1410.1	1
SS400	L 4x50	1100.1	1
SS400	トブメッキ品 L 6x50	4310.1	1
SS400	L 6x75	4910.1	1
SS400	L 6x75	4210.1	1
SS400	L 6x75	3900.1	1
SS400	L 6x75	2411.1	1
SS400	L 6x75	1600.1	1
SS400	L 6x75	800.1	3
SS400	L 8x65	2100.1	1
SS400	L 8x65	800.1	1
SS400	L 9x75	2210.1	1
SS400	L 9x75	1811.1	1
SS400	L 9x75	1000.1	1
SS400	L 9x75	600.1	3
SS400	L 10x100	2900.1	1
SS400	L 10x100	2500.1	3
SS400	L 10x100	2400.1	1
SS400	L 10x100	2300.1	2
SS400	L 10x100	1610	1
SS400	L 10x100	1201.1	1
SS400	L 10x90	4100.1	1
SS400	L 10x90	700.1	1
SS400	L 12x130	800.1	1
SS400	L 12x150	1900.1	1
SS400	L 12x75	3200.1	1
SS400	L 12x75	1500.1	1
SS400	L 15x175	3500.1	1
SS400	L 6x90	3910.1	1
SS400	L 7x100	4510.1	1
SS400	L 7x100	2100.1	2
SS400	L 7x100	1000.1	1
SS400	L 7x100	600.1	1
SS400	L 7x90	4910.1	1
SS400	L 7x90	2811.1	1
SS400	L 8x120	1500.1	1
SS400	不等辺不等厚L 10x15x90x250	4500.1	1
SS400	不等辺 L 10x75x100	2600.1	1
SS400	不等辺 L 10x75x100	2100	1
SS400	不等辺 L 7x75x100	12010.1	1

# 切断端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	不等辺 L 7x75x100	3000.1	1
SS400	不等辺 L 7x75x100	1800.1	2
SS400	不等辺 L 7x75x100	900.1	6
SS400	不等辺 L 7x75x100	600.1	2
SS400	不等辺 L 7x75x125	6900.1	1
SS400	不等辺 L 7x75x125	2900.1	2
SS400	不等辺 L 7x75x125	2100.1	3
SS400	不等辺 L 7x75x125	2000.1	1
SS400	不等辺 L 7x75x125	1300.1	2
SS400	不等辺 L 7x75x125	1200.1	4
SS400	不等辺 L 7x75x125	1000.1	1
SS400	不等辺 L 9x100x150	1900.1	1
SS400	不等辺 L 9x90x150	5200.1	1
SS400	不等辺 L 9x90x150	3600.1	1
SS400	不等辺 L 9x90x150	3400.1	1
SS400	不等辺 L 9x90x150	2400.1	1
SS400	不等辺 L 9x90x150	2200.1	2
SS400	不等辺 L 9x90x150	2100.1	1
SS400	不等辺 L 9x90x150	1711.1	1
SS400	不等辺 L 9x90x150	600.1	1
SSC400	74アクアタークグレ-C2.3x100x50x20	10800.1	1
SSC400	74アクアタークグレ-C2.3x100x50x20	2000.1	1
SSC400	74アクアタークグレ-C2.3x100x50x20	1900.1	1
SSC400	74アクアタークグレ-C3.2x100x50x20	1400.1	1
SSC400	74アクアタークグレ-C3.2x150x75x20	8500	73
SSC400	74アクアタークグレ-C3.2x150x75x20	8000	29
SSC400	74アクアタークグレ-C3.2x150x75x20	7100	390
SSC400	黒C 2.3x60x30x10	3300.1	1
SSC400	カラー C 2.3x100x50x20	1700.1	2
SSC400	カラー C 3.2x100x50x20	1700.1	1
SSC400	カラー C 2.3x120x60x20	2500.1	1
SSC400	カラー C 1.6x75x45x15	10600	1
SSC400	カラー C 2.3x75x45x15	7000.1	1
SSC400	グレ- C 2.3x60x30x10	1700.1	2
SSC400	グレ- C 2.3x75x45x15	3600.1	1
SSC400	軽[ 3.2x100x50	1800.1	2
SSC400	軽[ 3.2x200x50	4000.1	1
SSC400	軽[ 4.5x200x50	2800.1	1
SSC400	軽[ 6x200x75	1400.1	1
SSC400	軽[ 2.3x80x40	3700.1	1

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	[ 6x65x125	4310.1	1
SS400	[ 6x65x125	1211.1	1
SS400	[ 6x65x125	800.1	2
SS400	[ 6.5x75x150	4400.1	1
SS400	[ 6.5x75x150	2301.1	1
SS400	[ 6.5x75x150	1910.1	1
SS400	[ 6.5x75x150	1200.1	1
SS400	[ 6.5x75x150	1110.1	1
SS400	[ 6.5x75x150	1011.1	1
SS400	[ 6.5x75x150	700.1	1
SS400	[ 9x75x150	5311.1	1
SS400	[ 9x75x150	4910.1	1
SS400	[ 9x75x150	4600.1	1
SS400	[ 9x75x150	700.1	3
SS400	[ 7x75x180	4200.1	2
SS400	[ 7.5x80x200	4710	2
SS400	[ 7.5x80x200	3200.1	1
SS400	[ 7.5x80x200	1100.1	1
SS400	[ 7.5x80x200	810.1	1
SS400	[ 8x90x200	1310.1	1
SS400	[ 8x90x200	1300.1	1
SS400	[ 8x90x200	1010.1	1
SS400	[ 8x90x200	800.1	1
SS400	[ 9x90x250	1501.1	1
SS400	[ 9x90x300	5900.1	1
SS400	[ 9x90x300	1400.1	1
SS400	[ 9x90x300	1000.1	2
SS400	[ 10x90x300	900.1	1
SS400	[ 12x90x300	1340	1
SS400	[ 10.5x100x380	4700.1	1
SS400	[ 13x100x380	1800.1	1
SS400	[ 5x40x75	1800.1	1
SS400	IBM 5.5x75x125	1500.1	1
SS400	FB 3x16	4400	1
SS400	FB 3x22	4300	1
SS400	FB 3x25	4000.1	1
SS400	FB 3x32	4200.1	1
SS400	FB 3x38	2300.1	1
SS400	FB 3x44	3000.1	1
SS400	FB 3x50	1600.1	1

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	FB 4.5x13	4000	1
SS400	FB 4.5x22	3800	1
SS400	FB 4.5x25	900.1	1
SS400	FB 4.5x32	800.1	1
SS400	FB 4.5x38	1200.1	1
SS400	FB 4.5x38	800.1	5
SS400	FB 4.5x44	3800.1	1
SS400	FB 4.5x50	3400.1	1
SS400	FB 4.5x65	1800.1	1
SS400	FB 6x100	2500.1	1
SS400	FB 6x100	600.1	1
SS400	FB 6x125	5300.1	1
SS400	FB 6x13	2000	1
SS400	FB 6x150	3200.1	1
SS400	FB 6x16	2700.1	1
SS400	FB 6x16	2000	1
SS400	FB 6x19	2000.1	1
SS400	FB 6x19	800.1	1
SS400	WFB 6x200	4700.1	1
SS400	FB 6x32	2200.1	1
SS400	FB 6x32	1900.1	2
SS400	FB 6x38	1000.1	1
SS400	FB 6x60	2900.1	1
SS400	FB 6x65	3610.1	1
SS400	FB 6x65	2300.1	1
SS400	FB 6x65	800.1	1
SS400	FB 6x65	700.1	1
SS400	FB 6x70	2200.1	1
SS400	FB 6x75	1100.1	1
SS400	FB 6x75	800.1	8
SS400	FB 6x80	3000.1	1
SS400	FB 6x80	1300.1	2
SS400	FB 6x90	2700.1	4
SS400	FB 6x90	2200.1	1
SS400	FB 9x100	2500.1	4
SS400	FB 9x100	1800.1	1
SS400	FB 9x150	5200.1	1
SS400	FB 9x16	1500.1	5
SS400	FB 9x19	2100.1	1
SS400	FB 9x19	1400.1	7

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SN490B	FB 9x25	3000.1	1
SS400	FB 9x25	2500.1	1
SN490B	FB 9x25	1100.1	2
SS400	WFB 9x250	4900.1	1
SS400	FB 9x38	1800.1	1
SS400	FB 9x38	900.1	1
SS400	FB 9x44	3610.1	1
SS400	FB 9x50	5000.1	1
SS400	FB 9x50	2800.1	1
SS400	FB 9x65	1600.1	1
SS400	FB 9x65	1100.1	4
SS400	FB 9x65	900.1	1
SS400	FB 9x70	2800.1	1
SS400	FB 9x75	1000.1	1
SS400	FB 9x80	2000.1	5
SS400	FB 9x80	1000.1	1
SS400	FB 9x90	1100.1	1
SS400	FB 12x100	1000.1	1
SS400	FB 12x100	900.1	1
SS400	FB 12x125	2300.1	1
SS400	WFB 12x200	5000.1	1
SS400	WFB 12x250	3200.1	1
SS400	WFB 12x300	5400	1
SS400	FB 12x38	4100.1	1
SS400	FB 12x38	1300.1	7
SS400	FB 12x44	4200.1	1
SS400	FB 12x44	2300.1	2
SS400	FB 12x44	1300.1	2
SS400	FB 12x44	1200.1	1
SS400	FB 12x50	2900.1	1
SS400	FB 12x65	2200.1	1
SS400	FB 12x65	800.1	4
SS400	FB 12x75	2100.1	1
SS400	FB 12x90	3900.1	1
SS400	FB 16x100	4200.1	1
SS400	FB 16x100	800.1	1
SS400	FB 16x125	1000.1	1
SS400	FB 16x150	3100.1	1
SS400	FB 16x150	1500.1	1
SS400	FB 16x150	900.1	1

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	WFB 16x180	2200.1	2
SS400	WFB 16x200	3900.1	1
SS400	WFB 16x200	1900.1	1
SS400	WFB 16x200	1400.1	1
SS400	FB 16x25	3400.1	1
SS400	FB 16x25	1700.1	2
SS400	FB 16x25	900.1	1
SS400	FB 16x25	800.1	2
SS400	WFB 16x300	2900.1	1
SS400	WFB 16x300	1000.1	1
SS400	FB 16x32	1500.1	5
SS400	FB 16x32	1200.1	1
SS400	FB 16x32	700.1	1
SS400	FB 16x38	2000.1	1
SS400	FB 16x44	3200.1	1
SS400	FB 16x50	2800.1	1
SS400	FB 16x50	1800.1	1
SS400	FB 16x75	1900.1	1
SS400	FB 16x90	2000.1	1
SS400	FB 16x90	900.1	1
SS400	FB 19x125	700.1	1
SS400	FB 19x125	600.1	1
SS400	WFB 19x200	2000.1	1
SS400	FB 19x32	3500.1	1
SS400	FB 19x32	1300.1	1
SS400	FB 19x38	3200.1	1
SS400	FB 19x44	2100.1	1
SS400	FB 19x65	1100.1	1
SS400	FB 19x65	800.1	1
SS400	FB 19x75	1100.1	1
SS400	FB 19x75	700.1	1
SS400	FB 19x90	1100.1	1
SS400	FB 19x90	900.1	1
SS400	FB 22x100	2000.1	1
SS400	FB 22x100	1600.1	2
SS400	FB 22x100	1500.1	1
SS400	FB 22x100	1300.1	1
SS400	FB 22x100	1100.1	1
SS400	FB 22x100	700.1	1
SS400	FB 22x125	3200.1	1

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	FB 22x150	2500.1	1
SS400	FB 22x150	2000.1	1
SS400	WFB 22x180	2400	1
SS400	WFB 22x200	2900	1
SS400	WFB 22x200	2700	8
SS400	WFB 22x250	2000	1
SS400	FB 22x65	3000.1	1
SS400	FB 22x75	4300	1
SS400	FB 25x100	800.1	1
SS400	FB 25x125	1500.1	1
SS400	FB 25x125	800.1	1
SS400	FB 25x150	600.1	1
SS400	FB 25x150	570.1	1
SS400	WFB 25x200	4800.1	1
SS400	FB 25x38	2800.1	1
SS400	FB 25x50	600.1	1
SS400	FB 25x65	1600.1	1
SS400	FB 25x75	1200.1	1
SS400	FB 28x50	4300.1	1
SS400	FB 28x50	1100.1	1
SS400	FB 28x50	900.1	1
SS400	FB 28x50	600.1	1
SS400	FB 28x75	1900.1	2
SS400	FB 28x75	1100.1	1
SS400	FB 32x125	1100.1	1
SS400	FB 36x75	3400.1	1
SS400	FB 36x90	2200.1	1
SS400	FB 36x90	2000.1	1
SS400	■ 12.7x12.7	3400.1	1
SS400	■ 16x16	3000	1
SS400	■ 16x16	1600.1	1
SS400	■ 16x16	1400.1	7
SS400	■ 16x16	900.1	1
SS400	■ 19x19	2200.1	1
SS400	■ 22x22	2400.1	1
SS400	■ 25x25	1600.1	1
SS400	■ 28x28	2900.1	1
SS400	■ 28x28	1500.1	1
SS400	■ 28x28	1300.1	1
SS400	■ 32x32	3400.1	1



# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
SS400	■ 32x32	1400.1	1
SS400	■ 38x38	1300.1	3
SS400	■ 50x50	1400.1	1
SS400	■ 9.52x9.52	3100	1
SS400	■ 9.52x9.52	900.1	1
SGP	10A (φ17.3x2.3t)	5000.1	1
SGP	15A (φ21.7x2.8t)	4300.1	1
SGP	20A (φ27.2x2.8t)	2700.1	1
SGP	25A (φ34x3.2t)	1900.1	4
SGP	250A (φ267.4x6.6t)	2000.1	1
SGP	32A (φ42.7x3.5t)	4900.1	1
SGP	32A (φ42.7x3.5t)	3400.1	1
SGP	50A (φ60.5x3.8t)	1100.1	2
SGP	80A (φ89.1x4.2t)	2400	1
SGP	80A (φ89.1x4.2t)	2200	3
STK400	φ 34x2.3	3800.1	1
STK400	φ 60.5x3.2	3000.1	1
STK400	φ 60.5x3.2	1400.1	1
	角P 1.6x19x19	4400.1	1
	角P 1.6x25x25	2700.1	1
	角P 1.6x31x31	4800.1	1
	角P 1.6x40x40	1900.1	1
	角P 2x40x40	3100.1	3
STKR400	カラー □P 2.3x50x50	2200.1	1
STKR400	角P 1.6x50x50	5100.1	1
STKR400	角P 1.6x50x50	4000.1	1
STKR400	角P 2.3x50x50	2100.1	1
STKR400	角P 2.3x50x50	1800.1	2
STKR400	角P 3.2x50x50	2000.1	1
STKR400	角P 3.2x50x50	1500.1	1
STKR400	角P 2.3x60x60	3210.1	1
STKR400	角P 2.3x60x60	1900.1	1
STKR400	角P 3.2x60x60	1700.1	1
STKR400	角P 4.5x60x60	5200.1	1
STKR400	角P 2.3x75x75	3900.1	1
STKR400	角P 3.2x75x75	2500.1	1
STKR400	角P 4.5x75x75	2000.1	1
STKR400	角P 4.5x75x75	1900.1	1
STKR400	角P 4.5x75x75	1200.1	1
STKR400	角P 4.5x75x75	1000.1	1

# 切断端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
STKR400	角P 2.3x90x90	2000.1	1
STKR400	747クアタークグレー角P2.3x100x100	8800	1
STKR400	747クアタークグレー角P2.3x100x100	5400.1	1
STKR400	747クアタークグレー角P2.3x100x100	2510.1	1
STKR400	747クアタークグレー角P2.3x100x100	2200.1	1
STKR400	747クアタークグレー角P2.3x100x100	1700.1	1
STKR400	747クアタークグレー角P3.2x100x100	7010.1	1
STKR400	747クアタークグレー角P3.2x100x100	3900.1	1
STKR400	747クアタークグレー角P3.2x100x100	3800.1	2
STKR400	747クアタークグレー角P3.2x100x100	3600.1	2
STKR400	747クアタークグレー角P3.2x100x100	2910.1	1
STKR400	747クアタークグレー角P3.2x100x100	2800.1	1
STKR400	カラ- □P 2.3x100x100	1700.1	1
STKR400	角P 2.3x100x100	1500.1	1
STKR400	角P 3.2x100x100	2200.1	2
STKR400	角P 3.2x100x100	1500.1	1
STKR400	角P 3.2x100x100	1300.1	3
STKR400	カラ- □P 3.2x125x125	2300.1	1
STKR400	カラ- □P 3.2x125x125	1400.1	2
STKR400	グレー□P6x100x100	1900.1	1
STKR400	角P 4.5x100x100	1400.1	2
STKR400	角P 4.5x100x100	700.1	1
STKR400	角P 3.2x125x125	1400.1	1
STKR400	角P 4.5x125x125	1400.1	2
STKR400	角P 6x125x125	2500.1	1
STKR400	角P 6x125x125	1300.1	1
STKR400	角P 4.5x150x150	3200.1	1
STKR400	角P 4.5x150x150	1300.1	1
STKR400	角P 9x150x150	1600.1	1
STKR400	角P 9x150x150	1000.1	3
STKR400	角P 6x175x175	5500.1	1
STKR400	カラ- □P 2.3x50x30	1500.1	1
	角P 1.6x40x20	2200.1	1
	角P 1.6x40x20	1500	1
	角P 1.6x40x20	1000	1
	角P 1.6x40x20	600	4
STKR400	角P 3.2x40x20	2300	1
	角P 2.3x50x20	3600.1	1
	角P 2.3x50x20	2000.1	1
STKR400	カラ- □P 2.3x75x45	2400.1	1

# 切斷端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL: 0257-24-5666 FAX: 0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
STKR400	角P 1.6x100x20	900	3
STKR400	角P 3.2x100x40	2300	1
STKR400	角P 2.3x100x50	2400.1	2
STKR400	角P 2.3x100x50	1100.1	1
STKR400	角P 3.2x100x50	3800.1	1
STKR400	角P 3.2x100x50	900.1	1
STKR400	角P 4.5x100x50	1600.1	1
STKR400	角P 6x100x50	2000.1	1
STKR400	角P 3.2x125x75	2700.1	1
STKR400	角P 4.5x125x75	4700.1	1
STKR400	角P 6x125x75	1100.1	1
STKR400	角P 3.2x150x100	3300.1	1
STKR400	角P 3.2x150x100	2710.1	1
STKR400	角P 4.5x150x100	1600.1	1
STKR400	角P 6x150x100	1800.1	1
STKR400	角P 4.5x150x75	4100.1	1
STKR400	角P 4.5x150x75	1100.1	1
STKR400	角P 4.5x150x75	1000.1	1
STKR400	角P 4.5x200x100	1100.1	1
STKR400	角P 12x200x150	6000	1
STKR400	角P 12x200x150	3000	1
STKR400	角P 12x200x150	2800	2
STKR400	角P 9x250x150	3000.1	1
STKR400	角P 9x250x150	2300.1	1
STKR400	角P 12x300x200	3700	1
STKR400	角P 2.3x60x30	2600.1	1
STKR400	角P 2.3x60x30	1000.1	4
STKR400	角P 3.2x60x30	3900.1	1
STKR400	角P 3.2x60x30	3400.1	1
STKR400	角P 3.2x60x30	1000.1	1
STKR400	角P 4.5x75x45	1600.1	1
SD295A	D10	1600.1	1
SS400	φ 16	2400.1	1
SS400	φ 25	3700.1	1
SR235	φ 9	1900.1	2
SR235	φ 9	1200.1	1
	磨φ棒 12 mm	3200.1	1
	磨φ棒 16 mm	2600.1	1
	磨φ棒 20 mm	5100.1	1
	磨φ棒 40 mm	3000.1	1

# 切断端材リスト

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市大字藤井1495  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2019年 9月 13日

材質	材料名	長さ	本数
	磨φ棒 6 mm	3500	1
	磨φ棒 8 mm	1400	1
SS400	磨■ 6 mm	1500.1	1





















Blank lined writing area consisting of 28 horizontal lines. The top line is a thicker solid black line, while the remaining 27 lines are thin, light gray lines.



---

---

---

---